

	Type	Hits	Search Text	DBs	Time Stamp	Co mm en ts	Er r Def ini tio n	Er ro rs	Re f #
1	IS& R	1	("6437649").PN.	USPAT	2007/08/ 04 01:33				S1
2	IS& R	0	("jp2002330031").PN.	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/ 04 01:34				S3
3	IS& R	0	("jp2000330031").PN.	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/ 04 01:34				S2
4	IS& R	3	("2002330031").PN.	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/ 04 01:43				S4
5	BRS	43220 3	amplif\$4	USPAT	2007/08/ 04 01:44				S6
6	BRS	14173 8	audio	USPAT	2007/08/ 04 01:44				S5
7	BRS	34012	input near2 resist\$4	USPAT	2007/08/ 04 01:45				S7
8	BRS	798	(preserv\$4) near2 input	USPAT	2007/08/ 04 01:57				S1 0
9	BRS	3	S5 and S6 and S7 and S8	USPAT	2007/08/ 04 01:58				S9
10	BRS	86778	(prevent\$ or block\$ or inhibit\$) near2 leak\$4	USPAT	2007/08/ 05 05:58				S1 4
11	BRS	27596 0	resistor\$4	USPAT	2007/08/ 05 05:58				S1 3

	Type	Hits	Search Text	DBs	Time Stamp	Comm	Error	Def	Er	Re
						ts	or	inition	rors	f #
12	BRS	432203	amplif\$4	USPAT	2007/08/05 05:59					S16
13	BRS	310006	transistor\$2	USPAT	2007/08/05 05:59					S17
14	BRS	51037	inductor\$2	USPAT	2007/08/05 05:59					S15
15	BRS	141738	audio	USPAT	2007/08/05 06:00					S18
16	BRS	14	(prevent\$ or block\$ or inhibit\$) near2 leak\$4 near2 AC	USPAT	2007/08/05 08:11					S20
17	BRS	28629	impedance near2 match\$4	USPAT	2007/08/05 08:23					S22
18	BRS	10100	resistor\$2 near3 inductor\$3	USPAT	2007/08/05 08:23					S21
19	BRS	6	S24 and "330"/\$.ccls.	USPAT	2007/08/05 08:29					S25
20	BRS	470	330/302.ccls.	USPAT	2007/08/05 08:29					S26
21	BRS	134	resistor\$2 near3 series near3 inductor\$3 near3 (input or output)	USPAT	2007/08/05 21:25					S23
22	BRS	1712	resistor\$2 near3 series near3 inductor\$3	USPAT	2007/08/05 21:25					S27
23	BRS	30	S27 and S28	USPAT	2007/08/05 21:48					S29

	Type	Hits	Search Text	DBs	Time Stamp	Com m m e n t s	Err or D e f i n i t i o n	Er ro rs	Re f #
24	BRS	67	(prevent\$4 or unchang\$4 or stab\$4) near2 (attenuat\$4 or decreas\$4) near2 input	USPAT	2008/01/ 06 17:19				S8
25	BRS	25	S5 and S6 and S7 and S10	USPAT	2008/01/ 06 17:19				S1 1
26	BRS	14716 8	audio	USPAT	2008/01/ 06 17:19				S3 2
27	BRS	44186 3	amplif\$4	USPAT	2008/01/ 06 17:19				S3 3
28	BRS	34436	input near2 resist\$4	USPAT	2008/01/ 06 17:19				S3 4
29	BRS	813	(preserv\$4) near2 input	USPAT	2008/01/ 06 17:19				S3 5
30	BRS	25	S32 and S33 and S34 and S35	USPAT	2008/01/ 06 17:19				S3 6
31	BRS	67	(prevent\$4 or unchang\$4 or stab\$4) near2 (attenuat\$4 or decreas\$4) near2 input	USPAT	2008/01/ 06 17:19				S3 7
32	BRS	3	S32 and S33 and S34 and S37	USPAT	2008/01/ 06 17:19				S3 8
33	BRS	54	S13 and S14 and S15 and S16 and S17 and S18	USPAT	2008/01/ 06 17:20				S1 9
34	BRS	55	S39 and S40 and S41 and S42 and S43 and S44	USPAT	2008/01/ 06 17:20				S4 5

	Type	Hits	Search Text	DBs	Time Stamp	Comm en ts	Err or Def ini tion	Er ro rs	Re f #
35	BRS	30	S22 and S23	USPAT	2008/01/ 06 17:21				S2 4
36	BRS	29281	impedance near2 match\$4	USPAT	2008/01/ 06 17:21				S4 6
37	BRS	31	S46 and S47	USPAT	2008/01/ 06 17:21				S4 8
38	BRS	139	resistor\$2 near3 series near3 inductor\$3 near3 (input or output)	USPAT	2008/01/ 06 17:21				S4 7
39	BRS	470	330/302.ccls.	USPAT	2008/01/ 06 17:22				S2 8
40	BRS	214	333/214.ccls.	USPAT	2008/01/ 06 17:22				S3 1
41	BRS	810	330/296.ccls.	USPAT	2008/01/ 06 17:22				S3 0
42	BRS	483	330/302.ccls.	USPAT	2008/01/ 06 17:22				S4 9
43	BRS	215	333/214.ccls.	USPAT	2008/01/ 06 17:22				S5 0
44	BRS	833	330/296.ccls.	USPAT	2008/01/ 06 17:22				S5 1
45	BRS	28052 4	resistor\$4	USPAT	2008/01/ 06 17:23				S3 9

	Type	Hits	Search Text	DBs	Time Stamp	Comm	Error	Ref
						Definition	Definition	#
46	BRS	489874	resistor\$4	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 06 17:23			S5 2
47	BRS	88393	(prevent\$ or block\$ or inhibit\$) near2 leak\$4	USPAT	2008/01/ 06 17:24			S4 0
48	BRS	52457	inductor\$2	USPAT	2008/01/ 06 17:24			S4 1
49	BRS	171601	(prevent\$4 or block\$4 or inhibit\$4) near2 leak\$4	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 06 17:24			S5 3
50	BRS	92256	inductor\$2	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 06 17:24			S5 4
51	BRS	147168	audio	USPAT	2008/01/ 06 17:25			S4 4
52	BRS	623917	transistor\$2	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 06 17:25			S5 6
53	BRS	356022	audio	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 06 17:25			S5 7

	Type	Hits	Search Text	DBs	Time Stamp	Comm	Error	Def	Errors	Ref #
54	BRS	441863	amplif\$4	USPAT	2008/01/06 17:25					S42
55	BRS	317758	transistor\$2	USPAT	2008/01/06 17:25					S43
56	BRS	804646	amplif\$4	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/06 17:25					S55
57	BRS	32	S52 and S53 and S54 and S55 and S56 and S57	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/06 17:25					S58